

Python Basics!

arguments, parameters, methods, comments

CS101 Lecture #5

Administrivia

- ❖ Homework #2 is due Wed Oct . 19.
- ❖ Labs this Friday.

Functions Redux

Functions

- ❖ A small program (block of code) we can run within Python.
 - ❑ Saves us from rewriting code
 - ❑ Don't reinvent the wheel!
- ❖ Analogy: Functions are more verbs.
- ❖ Also called subroutine or procedure.

Function calls

- ❖ When we want to execute a function, we call or invoke it.
- ❖ Use name of the function with parentheses.
 - ❑ `print()`
- ❖ Many functions come built-in to Python or in the standard library.
- ❖ Others we will compose at need.

User input

- ❖ `input` is a built-in function.
- ❖ Argument: string prompting user
- ❖ Return value: input from user (as `str`)

Type conversion.

- A set of built-in functions to convert data from one type to another.

Type conversion.

- ❖ A set of built-in functions to convert data from one type to another.
 - ❖ `float("0.3")`
 - ❖ `str(3 + 5j)`

Type conversion.

- ❖ A set of built-in functions to convert data from one type to another.
 - ❖ `float("0.3")`
 - ❖ `str(3 + 5j)`
- ❖ What is the value of `int(3.7)`? 3 or 4?

Type conversion.

- ❖ A set of built-in functions to convert data from one type to another.
 - ❑ `float("0.3")`
 - ❑ `str(3 + 5j)`
- ❖ What is the value of `int(3.7)`? 3 or 4?
- ❖ What is `x`'s value after `x = 1/2`? 0 or 0.5?

Type conversion.

- ❖ A set of built-in functions to convert data from one type to another.
 - ❑ `float("0.3")`
 - ❑ `str(3 + 5j)`
- ❖ What is the value of `int(3.7)`? 3 or 4?
- ❖ What is `x`'s value after `x = 1/2`? 0 or 0.5?
- ❖ Is `float("%i" % 10)` a legal expression?

Type conversion.

- ❖ A set of built-in functions to convert data from one type to another.
 - ❑ `float("0.3")`
 - ❑ `str(3 + 5j)`
- ❖ What is the value of `int(3.7)`? 3 or 4?
- ❖ What is `x`'s value after `x = 1/2`? 0 or 0.5?
- ❖ Is `float("%i" % 10)` a legal expression?

Goal

- ▣ A program should achieve a goal.

Goal

- ❖ A program should achieve a goal.
- ❖ Let's implement the quadratic equation.


Example: Quadratic equation

```
print( "QUADRATIC SOLVER" )
print( "a x^2 + b x + c = 0" )

a = float( input( 'a: ' ) )
b = float( input( 'b: ' ) )
c = float( input( 'c: ' ) )

root = ( b**2 - 4*a*c ) ** 0.5
denom = 2 * a
pos = (-b + root) / denom
neg = (-b - root) / denom
message1 = "%.2f + %.2fi" % (pos.real,pos.imag)
message2 = "%.2f + %.2fi" % (neg.real,neg.imag)
print("Solution 1: %s" % message1)
print("Solution 2: %s" % message2)
```


Achievement unlocked!



Methods

- Like attributes, functions can be stored inside a type as well.

Methods

- ❖ Like attributes, functions can be stored inside a type as well.
- ❖ Use attribute operator on the value.

Methods

- ❖ Like attributes, functions can be stored inside a type as well.
- ❖ Use attribute operator on the value.
`"STOP SHOUTING!".lower()`
`(1 + 1j).conjugate()`

Methods

- ❖ Like attributes, functions can be stored inside a type as well.
- ❖ Use attribute operator on the value.
`"STOP SHOUTING!".lower()`
`(1 + 1j).conjugate()`
- ❖ Value is treated like an argument.

String methods

```
"GATTACA".count('A')  
"MVEMJSUN".find('J')  
"ABACADABRA".replace('AB','G')  
' FNORD '.strip()  
'high king of narnia'.title()  
'wEiRd'.swapcase()
```

Example

```
s = "WATER MAIN"  
x = s[ 0:s.find( ' ' ) ].lower()  
x = x.title().swapcase()
```

What is the value of x?

- A 'wATER'
- B 'Water'
- C 'wATE'
- D 'aTER'

Comments

Methods

- We can explain our code using comments.

Methods

- ❖ We can explain our code using comments.
- ❖ Comments begin with a # sign; Python ignore the rest of the line.

Methods

- ❖ We can explain our code using comments.
- ❖ Comments begin with a # sign; Python ignore the rest of the line.
- ❖ Long comments can also be stored as triple-quoted strings.

Methods

- ❖ We can explain our code using comments.
- ❖ Comments begin with a # sign; Python ignore the rest of the line.
- ❖ Long comments can also be stored as triple-quoted strings.

```
dx = 0.01 # grid spacing, m  
V = 14.2 # voltage, V  
"""
```

```
This is an extended comment.  
I can be many lines long.
```

```
Use me to explain functions or formulae, to do  
or to temporarily hide blocks you don't want t  
"""
```

Reminders

Reminders

- ❖ Homework #2 is due Wed Oct . 19.
- ❖ Labs this Friday.